Hyderabad Journal of Sciences

Vol. 1 No. 01 (2025)

https://www.hjsjournal.com/

Non-Communicable Diseases and Global Health Policy: Challenges and Solutions

Dr. Ahmad Khan
Department of Public Health, University of Lahore, Pakistan
Email: *ahmad.khan@unilhr.edu.pk*

ABSTRACT

Non-communicable diseases (NCDs), including cardiovascular diseases, diabetes, chronic respiratory diseases, and cancers, are major contributors to the global burden of disease, causing significant morbidity and mortality worldwide. The growing prevalence of NCDs, particularly in low- and middle-income countries (LMICs), has become a critical challenge for global health. This article explores the impact of NCDs on public health, the factors driving their increase, and the policies being implemented to address this issue. Furthermore, it assesses the effectiveness of global health frameworks and national health policies in reducing the burden of NCDs. The paper proposes strategies to strengthen global health policy and national responses to combat NCDs and promote health equity.

Keywords: *Non-Communicable Diseases, Global Health Policy, Public Health, NCD Prevention*

INTRODUCTION

Non-communicable diseases (NCDs) have emerged as the leading cause of death and disability globally. Unlike communicable diseases, which are transmitted from person to person, NCDs are primarily caused by modifiable lifestyle factors such as poor diet, lack of physical activity, smoking, and excessive alcohol consumption. The prevalence of NCDs has been rising steadily, especially in low- and middle-income countries (LMICs), where healthcare infrastructure is often insufficient to meet the needs of affected populations. This growing burden poses significant challenges to global health and development.

Global health policies have increasingly focused on NCD prevention and control, emphasizing the need for a comprehensive approach that integrates public health education, policy interventions, healthcare reforms, and research. However, the effectiveness of these strategies remains a subject of ongoing debate. This article provides an overview of the global burden of NCDs, examines current policies and interventions, and discusses the challenges and opportunities for enhancing the global response to NCDs.

1.The Global Burden of Non-Communicable Diseases (NCDs)

Non-communicable diseases (NCDs) are the leading cause of death globally, accounting for approximately 71% of all deaths worldwide, according to the World Health Organization (WHO). This includes diseases such as cardiovascular diseases (CVDs), diabetes, chronic respiratory diseases, and cancers. NCDs have been recognized as a critical issue for global public health, and understanding their prevalence, risk factors, economic and social impacts, and regional differences is essential for addressing this growing burden.

1. Prevalence and Risk Factors

Prevalence

The global prevalence of NCDs has risen significantly over the past few decades, and the trend is expected to continue. In 2018, over 41 million deaths were attributed to NCDs, with cardiovascular diseases being the leading cause of death globally.

- **Cardiovascular Diseases (CVDs):** The most prevalent form of NCD, accounting for nearly 45% of all NCD-related deaths.
- **Cancer:** Responsible for 25% of all NCD-related deaths, with the most common types being lung, colorectal, and liver cancers.
- **Chronic Respiratory Diseases:** Such as chronic obstructive pulmonary disease (COPD), account for a significant portion of NCD deaths.
- **Diabetes:** The global prevalence of diabetes has been rising, with an estimated 422 million people living with diabetes worldwide as of 2014.

Risk Factors

The primary risk factors for NCDs are largely behavioral and environmental, many of which are preventable. These include:

Risk Factor	Impact	Prevalence
Tobacco Use	Increases risk of cancer, CVDs, and respiratory diseases.	Responsible for 8 million deaths annually worldwide (WHO).
Unhealthy Diet	Contributes to obesity, diabetes, and CVDs.	Poor diet leads to 2-3 million deaths each year globally (WHO).
Physical Inactivity	Increases risk of obesity, diabetes, and CVDs.	Over 25% of the global population is physically inactive.
Excessive Alcohol Use	Contributes to liver disease, CVDs, and cancers.	Responsible for 2.8 million deaths annually (WHO).
Obesity	A significant risk factor for diabetes, hypertension, and CVDs.	Worldwide obesity has nearly tripled since 1975.

2. Economic and Social Impacts

The burden of NCDs extends beyond health outcomes, significantly impacting economies and societies. The economic costs of NCDs are enormous, and the consequences of rising NCD prevalence are particularly severe in low- and middle-income countries (LMICs).

Economic Impact

- **Direct Healthcare Costs:** NCDs place a significant strain on health systems, leading to increased demand for healthcare services, medicines, and long-term care. For example, the management of chronic diseases like diabetes and hypertension requires ongoing medical care and treatments.
- **Indirect Costs:** These include lost productivity due to premature death or disability, as well as the cost of caregiving for individuals with NCDs. NCDs have a disproportionate impact on the economically active population, resulting in significant losses in workforce productivity.
    - **Global Economic Cost:** The global economic impact of NCDs is estimated to be $7 trillion over the period 2011-2025 due to premature mortality and lost productivity.

Social Impact

- **Health Inequality:** NCDs exacerbate health inequities, particularly in LMICs where access to healthcare may be limited. This can result in a cycle of poverty, where the economic costs of NCDs limit access to quality healthcare, leading to poorer health outcomes.
- **Reduced Quality of Life:** NCDs lead to chronic illness and disability, which affects not only the individuals diagnosed with these diseases but also their families and communities. Long-term illnesses can hinder educational and employment opportunities, contributing to intergenerational cycles of poverty.

Economic/Social Impact	Impact Description	Evidence/Statistics
Healthcare Costs	Increases the burden on healthcare systems worldwide, leading to higher public spending on health services.	Healthcare costs due to NCDs are expected to increase by 2-4% annually in LMICs.
Loss of Productivity	Premature death or disability from NCDs leads to lost workforce productivity.	By 2030, NCDs could lead to an estimated $30 trillion in lost productivity worldwide.
Health Inequality	NCDs disproportionately affect low-income populations, leading to further social disparities.	People in low-income regions are more likely to die from NCDs prematurely.

3. Regional Differences in NCD Burden

While NCDs are a global problem, there are significant regional differences in the prevalence and impact of these diseases. Factors such as socioeconomic status, healthcare infrastructure, urbanization, and lifestyle behaviors contribute to regional disparities.

High-Income Countries (HICs)

- In high-income countries, NCDs are the leading cause of death, with cardiovascular diseases and cancers dominating. These countries have better access to healthcare services, but the increasing prevalence of lifestyle risk factors, such as poor diets and sedentary lifestyles, is contributing to higher rates of obesity and diabetes.
- **Example:** In Europe and North America, cardiovascular diseases and cancers are the leading causes of death, but healthcare systems are better equipped to manage these diseases, leading to longer life expectancy despite the high prevalence.

Low- and Middle-Income Countries (LMICs)

- NCDs are increasingly becoming a major health issue in LMICs, where they are responsible for a rising proportion of deaths. Many LMICs are facing a double burden of disease, with communicable diseases still prevalent alongside the growing incidence of NCDs.
  - **Example:** In South Asia, particularly in countries like India and Pakistan, cardiovascular diseases and diabetes are becoming more common due to urbanization, changes in diet, and decreased physical activity.
- **Economic Development and NCDs:** As countries transition from agrarian to industrial economies, they often experience rapid urbanization and lifestyle changes, leading to increased exposure to NCD risk factors. However, LMICs often lack the healthcare infrastructure to adequately address the NCD burden.

Region	NCD Prevalence	Key Challenges
High-Income Countries	High prevalence of cardiovascular diseases, cancer, and diabetes.	Aging populations, unhealthy lifestyles, and high healthcare costs.
Low- and Middle-Income Countries	Increasing prevalence of NCDs, including diabetes, cardiovascular diseases, and cancer.	Limited healthcare resources, poor access to preventive care, and rising urbanization.
Sub-Saharan Africa	Relatively low prevalence of NCDs but increasing.	High burden of infectious diseases; rising risk factors such as tobacco use and unhealthy diets.

The global burden of non-communicable diseases (NCDs) continues to rise, driven by factors such as unhealthy lifestyles, aging populations, and limited healthcare infrastructure in low- and middle-income countries. The prevalence of NCDs has significant economic and social impacts, from escalating healthcare costs to lost productivity and increased health inequality. While high-income countries face challenges with aging populations and lifestyle diseases, low- and middle-income countries are experiencing rapid urbanization, which is contributing to the rise of NCDs in these

regions. Addressing the global burden of NCDs requires comprehensive strategies that include prevention, early detection, healthcare system strengthening, and health education.

2.Global Health Policies and Frameworks for N Non-Communicable Disease (NCD) Prevention

Non-communicable diseases (NCDs) represent a significant challenge to global health, and various international frameworks and national policies have been developed to prevent and control their rising burden. The World Health Organization (WHO) plays a key role in setting global standards, while national governments and non-governmental organizations (NGOs) work to implement and support these initiatives at the local and regional levels. This section discusses the major global health policies and frameworks aimed at NCD prevention, with a focus on the WHO's Global Action Plan, national responses in high- and low-income countries, and the role of international organizations and NGOs.

1. World Health Organization (WHO) Global Action Plan for NCD Prevention

The WHO has been a leading advocate for NCD prevention on a global scale, providing a framework for countries to develop and implement policies aimed at reducing the burden of NCDs. The **WHO Global Action Plan for the Prevention and Control of NCDs (2013-2020)** was endorsed by member states as part of the 2030 Agenda for Sustainable Development. This plan aims to reduce the global burden of NCDs by focusing on primary prevention, early detection, and comprehensive management.

Key Components of the WHO Global Action Plan:

Component	Key Focus	Goal
Health Promotion	Encouraging healthy lifestyles, including tobacco cessation, healthy diet, and physical activity.	Reduce risk factors for NCDs globally by promoting healthy behaviors.
Early Detection and Screening	Supporting universal health coverage (UHC) to ensure that NCDs are detected early.	Ensure early diagnosis of major NCDs like cancer, cardiovascular diseases, and diabetes.
Strengthening Healthcare Systems	Building healthcare infrastructure, especially in low- and middle-income countries (LMICs).	Ensure accessible and affordable healthcare services for NCD prevention and management.
International Collaboration	Coordinating global efforts to address NCDs through partnerships and knowledge sharing.	Facilitate global cooperation to support NCD management across countries.

Specific Targets of the Action Plan:

- **Global reduction of premature deaths from NCDs** by 25% by 2025 (focused on cardiovascular diseases, cancer, diabetes, and chronic respiratory diseases).

- **Strengthening policies** to reduce the prevalence of tobacco use, unhealthy diets, alcohol abuse, and physical inactivity.
- **Universal health coverage (UHC)** to provide comprehensive services for NCD prevention, treatment, and management.

2. National Policy Responses in High and Low-Income Countries

National responses to NCDs vary significantly between high-income and low-income countries due to differences in healthcare infrastructure, resources, and public health challenges. Both types of countries have made strides in addressing NCDs, but challenges remain, particularly in low-income countries where healthcare systems are underdeveloped and resources are scarce.

A. High-Income Countries

High-income countries (HICs) generally have more advanced healthcare systems and resources to address NCDs. Their policy responses focus on prevention, early detection, and management of chronic diseases, with an emphasis on integrating NCD prevention into broader health policy frameworks.

Key Features of NCD Policy in High-Income Countries:

- **Universal Health Coverage (UHC):** Most high-income countries have some form of universal health coverage, providing citizens with access to affordable healthcare services, including for the treatment and management of NCDs.
- **Legislation and Regulation:** Policies such as tobacco control laws, sugar taxes, and restrictions on unhealthy food marketing, particularly to children, are common in high-income countries. For example, countries like the UK and Canada have implemented sugar taxes to reduce the consumption of sugary beverages.
- **Public Awareness Campaigns:** Countries such as the United States, the UK, and Australia have initiated large-scale public health campaigns focusing on the risks of smoking, unhealthy diets, and physical inactivity. These campaigns often involve the media, schools, and healthcare providers.

B. Low- and Middle-Income Countries (LMICs)

LMICs face a dual burden of infectious diseases and NCDs, and they often struggle with inadequate healthcare infrastructure, limited resources, and rising urbanization, which exposes populations to unhealthy lifestyle factors.

Key Features of NCD Policy in LMICs:

- **Integrated Health Systems:** LMICs often aim to integrate NCD prevention into their primary healthcare systems to reach rural and underserved populations. For example, many countries in sub-Saharan Africa have developed policies to integrate hypertension and diabetes screening into maternal and child health services.

- **International Support:** Many LMICs rely heavily on international organizations, including the WHO, for technical assistance and funding to support NCD prevention efforts. For example, in countries like India and Bangladesh, WHO and other organizations support the implementation of tobacco control programs.
- **Community-based Approaches:** In many LMICs, community health workers are trained to promote healthy lifestyles, offer basic screening for NCDs, and raise awareness about risk factors such as tobacco use, diet, and physical inactivity.

Challenges in LMICs:

- **Resource Limitations:** Limited access to medicines, diagnostic tools, and healthcare professionals makes it difficult to manage NCDs effectively.
- **Rising Urbanization and Lifestyle Changes:** Increasing urbanization leads to changes in diet (more processed food), lower levels of physical activity, and rising rates of smoking and alcohol consumption.

3. Role of International Organizations and NGOs

International organizations and non-governmental organizations (NGOs) play a critical role in shaping global health policy and supporting NCD prevention and control. These organizations contribute in multiple ways, from providing financial assistance to facilitating technical support for countries with limited resources.

A. World Health Organization (WHO)

- **Policy Advocacy:** The WHO leads international efforts in NCD prevention by setting global standards and frameworks, providing technical support to member states, and promoting global health initiatives like the **Global Action Plan** and **UN High-Level Meeting on NCDs**.
- **Capacity Building:** The WHO assists countries, especially in LMICs, by helping them build health systems capable of preventing and managing NCDs. The organization also provides expertise in establishing screening programs for early detection of diseases like cancer and diabetes.

B. NGOs

- **Global Advocacy and Funding:** NGOs such as the **Global Fund** and **World Diabetes Foundation** provide funding for NCD-related projects in LMICs, support policy advocacy, and promote public awareness. These organizations help implement health programs, particularly in areas where government efforts may be insufficient.
- **Community Engagement:** NGOs are often at the forefront of working directly with communities, providing education, support, and health services in remote or underserved areas. For example, **The Heart Foundation** in Australia and **Cancer Research UK** engage in local campaigns to raise awareness about prevention and treatment of NCDs.

- **Public-Private Partnerships:** Many NGOs collaborate with the private sector to strengthen policy responses to NCDs. For example, partnerships with the food and beverage industry help promote healthier products and reduce the consumption of sugary foods and drinks.
- Global health policies and frameworks for NCD prevention are critical in addressing the rising global burden of non-communicable diseases. The **WHO Global Action Plan** provides a comprehensive framework for NCD prevention, focusing on health promotion, early detection, and strengthening healthcare systems. National policies in **high-income countries** focus on legislation, healthcare access, and public awareness, while **low- and middle-income countries** struggle with resource limitations and dual disease burdens. International organizations and **NGOs** provide essential support, from technical assistance to funding and advocacy, to help countries, particularly those in LMICs, address the challenges posed by NCDs.

Effective strategies to combat NCDs require coordinated efforts at the global, national, and local levels, supported by strong partnerships between governments, international organizations, and civil society. Only through a holistic and inclusive approach can we make significant progress in reducing the burden of NCDs worldwide.

3.Strategies for Reducing the NCD Burden

Non-communicable diseases (NCDs) continue to be a major health challenge globally, and tackling this growing burden requires a multifaceted approach. Strategies to reduce the impact of NCDs focus on preventing their onset, detecting them early, strengthening healthcare systems to manage long-term care, and promoting health education and public awareness. This section outlines the key strategies for reducing the NCD burden, focusing on prevention and early detection, healthcare system strengthening, and health education and public awarenes

1. Prevention and Early Detection

Prevention is the most cost-effective approach to reduce the global burden of NCDs. Preventive strategies focus on addressing risk factors before the onset of diseases. **Early detection** is crucial for diseases like cancer, diabetes, and cardiovascular diseases, as early intervention can significantly improve health outcomes.

A. Prevention Strategies

Prevention efforts focus on reducing modifiable risk factors such as unhealthy diet, tobacco use, alcohol consumption, and physical inactivity. The implementation of comprehensive policies and programs to address these factors can significantly reduce the incidence of NCDs.

Strategy	Description	Expected Outcome
Tobacco Control	Implementation of tobacco taxes, smoking bans, and public smoking cessation programs.	Reduced smoking rates, lower lung cancer and CVD prevalence.

Healthy Diet Promotion	Promotion of balanced diets, reduction of salt, sugar, and fat intake.	Reduced obesity rates, lower diabetes and hypertension incidence.
Physical Activity Encouragement	Promotion of active lifestyles through urban planning, exercise programs, and public health campaigns.	Reduced obesity, improved cardiovascular health, and lower diabetes rates.
Alcohol Use Reduction	Limiting alcohol consumption through taxes, age restrictions, and public education.	Reduced liver disease, reduced CVD, and fewer alcohol-related injuries.

B. Early Detection

Early detection through screening and regular check-ups can lead to better health outcomes by identifying diseases at an earlier, more treatable stage. This approach is especially critical for conditions like **breast cancer**, **cervical cancer**, **diabetes**, and **hypertension**.

Screening Strategy	Focus Area	Outcome
Cancer Screening Programs	Early detection of breast, cervical, and colorectal cancers.	Higher survival rates, reduced cancer-related mortality.
Diabetes and Hypertension Screening	Regular check-ups for blood glucose and blood pressure.	Early management, reduced complications (e.g., heart attacks, kidney failure).
HIV and Hepatitis B Screening	Testing for viral infections that can lead to liver disease.	Early treatment, reduced transmission, and improved long-term outcomes.

C. Screening in Low- and Middle-Income Countries (LMICs)

In LMICs, the challenges of resource constraints and limited access to healthcare make early detection more difficult. However, **cost-effective screening programs** targeting the most prevalent NCDs, like cervical cancer and hypertension, can be implemented at the community level with the support of **community health workers**.

2. Healthcare System Strengthening

Effective healthcare system strengthening is essential to manage the growing burden of NCDs. A well-functioning health system ensures that individuals can access timely care, receive proper treatment, and manage their conditions effectively over time.

A. Universal Health Coverage (UHC)

Universal Health Coverage (UHC) is a critical approach to strengthening healthcare systems, ensuring that all people, regardless of socioeconomic status, can access affordable and effective NCD care.

UHC Component	Description	Expected Outcome

Access to Essential Medicines	Ensuring availability and affordability of essential medicines for NCDs.	Improved access to treatment for diabetes, hypertension, etc.
Primary Healthcare Integration	Integrating NCD care into primary healthcare services to provide routine screening, diagnosis, and treatment.	Early diagnosis and treatment, reduced hospital admissions.
Health Financing	Establishing health financing mechanisms like insurance and subsidies for low-income populations.	Increased access to healthcare for marginalized groups, reduced out-of-pocket expenses.

B. Strengthening Health Workforce Capacity

A robust healthcare workforce is essential for the management of NCDs. This includes training healthcare professionals in NCD prevention, diagnosis, and management.

Workforce Strategy	Description	Expected Outcome
Training Healthcare Providers	Ensuring that healthcare workers, including doctors, nurses, and community health workers, receive training in NCD management.	Improved quality of care, more accurate diagnoses, better patient outcomes.
Task Shifting	Empowering community health workers to screen and provide basic care for NCDs, particularly in resource-limited settings.	Increased accessibility to care in remote or underserved areas.

C. Integrated Care Models

For the long-term management of NCDs, **integrated care models** that combine preventive, diagnostic, and treatment services are essential. This ensures that people with NCDs receive comprehensive care across all stages of their disease, from prevention to treatment and rehabilitation.

Care Model	Description	Expected Outcome
Chronic Care Management Programs	Programs that provide continuous care for individuals with long-term NCDs.	Improved management of chronic diseases like diabetes, hypertension, and asthma.
Referral Systems	Ensuring that patients are referred to specialists or higher-level facilities when necessary.	Timely treatment, reduced complications, and improved quality of life.

3. Health Education and Public Awareness

Health education and public awareness are crucial for changing behaviors and encouraging people to adopt healthier lifestyles. Public health campaigns help reduce the prevalence of risk factors and empower individuals to make informed decisions about their health.

A. Public Health Campaigns

Public health campaigns, often spearheaded by governments or NGOs, aim to educate the public on the importance of healthy living, regular screenings, and the risks associated with smoking, poor diet, and sedentary behavior.

Campaign Focus	Description	Expected Outcome
Anti-Smoking Campaigns	Public education about the dangers of tobacco use through media, schools, and workplaces.	Reduced smoking rates, lower incidence of lung cancer and respiratory diseases.
Healthy Eating Campaigns	Promoting the benefits of a balanced diet, including reduced sugar, salt, and fat intake.	Decreased rates of obesity, diabetes, and cardiovascular diseases.
Physical Activity Promotion	Encouraging physical activity through public events, policies, and community programs.	Increased physical activity, reduced obesity rates, and improved cardiovascular health.

B. School and Workplace Programs

Health education should begin early, and both schools and workplaces are ideal places to promote healthy lifestyles. School-based health education programs can teach children about healthy eating and the importance of physical activity, while workplace wellness programs can encourage employees to make healthier choices.

Setting	Program Focus	Expected Outcome
Schools	Nutrition education, physical activity, anti-smoking initiatives, mental health support.	Long-term healthy habits, reduced obesity, fewer NCD-related illnesses in adulthood.
Workplaces	Providing employees with wellness programs, offering gym memberships, and promoting mental health awareness.	Reduced absenteeism, increased productivity, healthier workforce.

C. Community Engagement

Community engagement is crucial for reaching at-risk populations and providing local support for behavior change. Community health workers can engage individuals at the grassroots level, offering education, resources, and support for healthy living.

Community Approach	Description	Expected Outcome
Community Health Worker Programs	Training local individuals to provide health education and basic healthcare services.	Increased health literacy, better disease prevention, and early detection.
Support Groups and Peer Education	Encouraging individuals with similar conditions (e.g., diabetes) to share experiences and support each other.	Empowerment, better management of chronic

		conditions, and reduced disease burden.

Reducing the burden of NCDs requires a comprehensive approach that includes **prevention**, **early detection**, **healthcare system strengthening**, and **health education**. Prevention strategies focus on addressing modifiable risk factors such as tobacco use, unhealthy diets, and physical inactivity. Early detection through screening programs can improve survival rates and reduce healthcare costs. Strengthening healthcare systems, through universal health coverage and improved workforce capacity, ensures that individuals with NCDs receive timely, continuous care. Public health campaigns and education initiatives play a crucial role in changing behaviors and promoting healthier lifestyles.

Summary

Non-communicable diseases (NCDs) have become the leading cause of death and disability worldwide, particularly in low- and middle-income countries. Global health policies, such as the WHO Global Action Plan, provide a framework for reducing the burden of NCDs, but challenges remain in implementing these policies, especially in resource-limited settings. Effective strategies to combat NCDs include a combination of prevention, early detection, healthcare system strengthening, and public health education. By addressing these areas, we can make significant progress in reducing the impact of NCDs globally, improving health outcomes, and reducing the economic burden associated with these diseases.

References

- World Health Organization (WHO). (2018). Non-communicable diseases: Key facts. Retrieved from https://www.who.int/news-room/fact-sheets/detail/noncommunicable-diseases
- Yusef, S., & Rangarajan, S. (2020). Global cardiovascular disease burden and risk factors. *The Lancet*, 395(10226), 1323-1331.
- WHO. (2014). Global Action Plan for the Prevention and Control of Non-Communicable Diseases 2013-2020. Geneva: World Health Organization.
- Ali, S. H., & Khan, M. A. (2019). Prevalence of NCDs in Pakistan: Implications for national health policy. *Journal of Public Health Policy*, 10(3), 109-118.
- Zhang, X., et al. (2021). The growing burden of chronic diseases in China: Current challenges and future directions. *Chinese Journal of Chronic Disease*, 15(6), 45-52.
- Parsa, N., & Mohd, S. (2021). Role of international organizations in tackling NCDs in LMICs. *Global Health Action*, 14(1), 202-210.
- Bukhari, S. A., et al. (2018). Tobacco use in Pakistan and its relation to non-communicable diseases: A public health perspective. *Pakistani Journal of Public Health*, 5(4), 203-210.
- Gupta, R., & Sharma, P. (2020). Economic impact of non-communicable diseases in South Asia: A review of the literature. *Indian Journal of Health Economics*, 18(2), 113-120.

- Liu, Y., & Zhou, L. (2022). Policy implementation challenges in NCD prevention in low-income countries. *Journal of Global Health*, 22(1), 58-65.
- Rahman, M., & Begum, S. (2020). The role of health education in controlling non-communicable diseases in Bangladesh. *South Asian Journal of Public Health*, 8(4), 234-240.
- WHO. (2021). Health Promotion and Disease Prevention: Focus on NCDs. *WHO Global Health Report*.
- Mohammad, A., & Chien, W. (2020). Reducing NCD risk factors: Evidence from Chinese public health interventions. *Chinese Journal of Public Health*, 32(2), 45-52.
- Ahmed, M., et al. (2021). Addressing the challenges of NCDs in low-income settings: A case study from Pakistan. *International Journal of Public Health Policy*, 10(1), 101-110.
- Xue, Q., & Chen, R. (2019). A review of global strategies for NCD prevention. *International Journal of Epidemiology*, 48(2), 563-572.
- Sharma, R., et al. (2020). NCD policy response in India: Challenges and opportunities. *Journal of Global Health Systems*, 18(5), 304-310.
- Shams, S. A., et al. (2021). Tackling the rising burden of NCDs in South Asia: Policy solutions. *Journal of South Asian Health*, 19(3), 121-127.
- Wang, Y., & Xu, Z. (2022). Economic impact of NCDs in low- and middle-income countries: A review. *Global Health Economics Review*, 10(4), 159-164.
- Khan, J., & Mahmud, R. (2020). The role of NGOs in NCD management in low-income countries: Lessons from Pakistan. *Global Health Alliance*, 15(2), 44-50.
- World Bank. (2018). NCDs and the Health System: Economic Impacts and Interventions. *World Bank Report*.
- WHO. (2020). Prevention and Control of NCDs in South-East Asia. *WHO Regional Office for South-East Asia Report*.